

Refine Search

Search Results -

Terms	Documents
((api or interface) near pointer) with ((disconnected or off\$1line) near (application or program or module))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L136

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, March 21, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
L136	((api or interface) near pointer) with ((disconnected or off\$1line) near (application or program or module))	0	L136
L135	L95 and L134	15	L135
L134	((return\$3 or retriev\$3 or receiv\$3 or extract\$3) near cookie) with (api or interface or dll)	53	L134
L133	((disconnected or off\$1line) near (application or program or module)) and L132	8	L133
L132	((return\$3 or retriev\$3 or receiv\$3 or extract\$3) near cookie)	1509	L132
L131	((disconnected or off\$1line) near (application or program or module)) and (com near (object or component))	23	L131
L130	((disconnected or off\$1line) near (application or program or module)) and (register\$6 near (api or interface))	38	L130
L129	(register\$6 near (api or interface)) near table	8	L129

DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR

<u>L128</u>	MULONAS-DENNIS-M-JR!	1	<u>L128</u>
<u>L127</u>	SMITH-J-DANIEL!	9	<u>L127</u>
<u>L126</u>	VADELLA-KENNETH-ALEXANDER!	1	<u>L126</u>

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L125</u>	cookie with environment near variable	28	<u>L125</u>
<u>L124</u>	(activex or (com near (object or component))) and L123	49	<u>L124</u>
<u>L123</u>	cookie and (register\$6 near (api or interface))	138	<u>L123</u>
<u>L122</u>	cookie with (identif\$6 near (api or interface))	3	<u>L122</u>
<u>L121</u>	cookie near (api or interface)	62	<u>L121</u>
<u>L120</u>	cookie with register\$6 near (api or interface)	10	<u>L120</u>
<u>L119</u>	cookie with ((api or interface) near pointer)	4	<u>L119</u>
<u>L118</u>	(activex or (com near (object or component))) and L117	132	<u>L118</u>
<u>L117</u>	((return\$3 or retriev\$3 or receiv\$3) near cookie)	1421	<u>L117</u>
<u>L116</u>	(activex or (com near (object or component))) and L114	7	<u>L116</u>
<u>L115</u>	L95 and L114	12	<u>L115</u>
<u>L114</u>	(disconnected or off\$1line) with (cookie or ((return\$3 or retriev\$3 or receiv\$3) near (interface or api or dll)))	109	<u>L114</u>

DB=USPT; PLUR=YES; OP=OR

<u>L113</u>	'5638504'.pn.	1	<u>L113</u>
<u>L112</u>	'5724589'.pn.	1	<u>L112</u>
<u>L111</u>	'6212676'.pn.	1	<u>L111</u>

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L110</u>	(disconnected or off\$1line) and L109	99	<u>L110</u>
<u>L109</u>	((activex or com) near (object or component)) and ((api or interface) near pointer)	419	<u>L109</u>
<u>L108</u>	((disconnected or off\$1line) near (application or program or module)) and L106	3	<u>L108</u>
<u>L107</u>	((disconnected or control\$4) near (application or program or module)) and L106	182	<u>L107</u>
<u>L106</u>	(activex or (com near (object or component))) and ((api or interface) near pointer)	464	<u>L106</u>
<u>L105</u>	(activex or (com near (object or component))) with ((api or interface) near pointer)	90	<u>L105</u>
<u>L104</u>	L95 and L101	25	<u>L104</u>
<u>L103</u>	L69 and L101	512	<u>L103</u>
<u>L102</u>	activex and L101	6	<u>L102</u>
<u>L101</u>	(register\$5 near (api or interface or dll)) with (bridge or communicat\$3)	512	<u>L101</u>
<u>L100</u>	L95 and L99	17	<u>L100</u>
<u>L99</u>	L69 and L98	68	<u>L99</u>
<u>L98</u>	(activex or web near pages) near (api or interface or dll or bridge)	2212	<u>L98</u>
<u>L97</u>	L69 and L96	4	<u>L97</u>

<u>L96</u>	L89 and L95	173	<u>L96</u>
<u>L95</u>	L90 or L91 or L92 or L93 or L94	31678	<u>L95</u>
<u>L94</u>	(717/120 717/121).ccls.	738	<u>L94</u>
<u>L93</u>	(719/311 719/328 719/329).ccls.	1644	<u>L93</u>
<u>L92</u>	(715/733 715/734 715/738 715/751 715/752).ccls.	1797	<u>L92</u>
<u>L91</u>	(707/10).ccls.	6853	<u>L91</u>
<u>L90</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	23374	<u>L90</u>
<u>L89</u>	(activex or web near pages) near (communicat\$3 or bridge)	783	<u>L89</u>
<u>L88</u>	((instantiat\$3 or creat\$3) near ((web or html) near page)) with ((off\$1line or disconnected) near (application or module or program))	1	<u>L88</u>
<u>L87</u>	L69 and L86	25	<u>L87</u>
<u>L86</u>	activex near (communicat\$3 or api or interface or librar\$3 or dll)	310	<u>L86</u>
<u>L85</u>	L84	19	<u>L85</u>
<u>L84</u>	((disconnected or control\$4) near (application or program or module)) with ((receiv\$3 or retriev\$3) near pointer)	19	<u>L84</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L83</u>	'5968131'.pn.	1	<u>L83</u>
<u>L82</u>	'6205448'.pn.	1	<u>L82</u>
<u>L81</u>	'6205448'.pn.	1	<u>L81</u>
<u>L80</u>	'6252889'.pn.	1	<u>L80</u>
<u>L79</u>	'6308201'.pn.	1	<u>L79</u>
<u>L78</u>	'6131116'.pn.	1	<u>L78</u>
<u>L77</u>	'6131116'.pn.	1	<u>L77</u>
<u>L76</u>	'6308201'.pn.	1	<u>L76</u>
<u>L75</u>	'6151606'.pn.	1	<u>L75</u>
<u>L74</u>	'6151606'.pn.	1	<u>L74</u>
<u>L73</u>	'6161146'.pn.	1	<u>L73</u>
<u>L72</u>	'6308201'.pn.	1	<u>L72</u>
<u>L71</u>	'6308201'.pn.	1	<u>L71</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L70</u>	L68 and L69	42	<u>L70</u>
<u>L69</u>	register\$5 near (api or interface or dll or librar\$3) or plac\$3 near pointer	9880	<u>L69</u>
<u>L68</u>	((disconnect\$3 or offline) near (application or program or module))	3187	<u>L68</u>
<u>L67</u>	project near hosting	16	<u>L67</u>
<u>L66</u>	project near hosting and activeX	3	<u>L66</u>
<u>L65</u>	project\$1point	5	<u>L65</u>
<u>L64</u>	cookie with ((pointer or location) near (api or interface or dll or librar\$3))	14	<u>L64</u>
<u>L63</u>	cookie with ((pointer or locaition) near (api or interface or dll or librar\$3))	4	<u>L63</u>
<u>L62</u>	(disconnect\$3 near (application or program or module)) and (register\$6 near (api or interface or dll or librar\$3))	22	<u>L62</u>
<u>L61</u>	(disconnect\$3 near (application or program or module)) with (register\$6	0	<u>L61</u>

	near (api or interface or dll or librar\$3))		
<u>L60</u>	register\$5 near (api or interface or dll or librar\$3) near pointer	6	<u>L60</u>
<u>L59</u>	disconnect\$3 adj (application or module or program) with activeX	2	<u>L59</u>
<u>L58</u>	cookie with (regist\$6 near (api or interface or dll or librar\$3))	10	<u>L58</u>
<u>L57</u>	plac\$6 near (pointer) and disconnect\$3 near (application or program or module)	16	<u>L57</u>
<u>L56</u>	plac\$6 near (handle or pointer) and L55	63	<u>L56</u>
<u>L55</u>	register\$5 near (api or interface or dll or librar\$3)	6788	<u>L55</u>
<u>L54</u>	plac\$5 near (handle or pointer) and L51	4	<u>L54</u>
<u>L53</u>	activeX and L51	32	<u>L53</u>
<u>L52</u>	((activeX or disconnect\$3) near (application or program or module)) and L51	32	<u>L52</u>
<u>L51</u>	global\$2 near register\$5 with (api or interface or dll or librar\$3)	151	<u>L51</u>
<u>L50</u>	plac\$5 near (handle or pointer) near (api or interface)	6	<u>L50</u>
<u>L49</u>	plac\$5 near (handle or pointer) near (api or interface) with table	3	<u>L49</u>
<u>L48</u>	disconnect\$3 near (application or program or module) near communicat\$3	17	<u>L48</u>
<u>L47</u>	L41 and L46	22	<u>L47</u>
<u>L46</u>	register\$4 near (api or dll or librar\$3 or interface)	6785	<u>L46</u>
<u>L45</u>	L41 and L44	3	<u>L45</u>
<u>L44</u>	register\$4 near (api or dll or librar\$3 or interface) with table	312	<u>L44</u>
<u>L43</u>	activex and L41	36	<u>L43</u>
<u>L42</u>	L39 and L41	3	<u>L42</u>
<u>L41</u>	disconnect\$3 near (application or program or module)	2729	<u>L41</u>
<u>L40</u>	activeX and L39	4	<u>L40</u>
<u>L39</u>	bridge adj object	201	<u>L39</u>
<u>L38</u>	((com near (object or component)) or (activex near control)) and L36	32	<u>L38</u>
<u>L37</u>	(com near (object or component)) or (activex near control) and L36	8401	<u>L37</u>
<u>L36</u>	(disconnected or off\$1line) with web near browser	177	<u>L36</u>
<u>L35</u>	(disconnect\$3 or off\$1line) and L33	124	<u>L35</u>
<u>L34</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) and L33	8	<u>L34</u>
<u>L33</u>	cookie and L32	288	<u>L33</u>
<u>L32</u>	(com near (object or component)) or (activex near control) and interface adj table	8391	<u>L32</u>
<u>L31</u>	global\$2 adj interface adj table	3	<u>L31</u>
<u>L30</u>	(disconnect\$3 or off\$1line) with activex adj control	21	<u>L30</u>
<u>L29</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) with activex adj control	2	<u>L29</u>
<u>L28</u>	L18 and L27	8	<u>L28</u>
<u>L27</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) and (com near (object or component) or activex)	155	<u>L27</u>
<u>L26</u>	(disconnect\$3 or off\$1line) with (com near (object or component) or activex)	50	<u>L26</u>

<u>L25</u>	(disconnect\$3 or off\$1line) with (com or activex)	4996	<u>L25</u>
<u>L24</u>	(disconnect\$3 or off\$1line) near (application or process or program or module) with (com or activex)	5	<u>L24</u>
<u>L23</u>	L18 and L22	22	<u>L23</u>
<u>L22</u>	communicat\$3 near (disconnect\$3 or off\$1line)	4192	<u>L22</u>
<u>L21</u>	pointer near table and L20	4	<u>L21</u>
<u>L20</u>	(activex or com) and L16	422	<u>L20</u>
<u>L19</u>	L18 and L16	9	<u>L19</u>
<u>L18</u>	register\$6 near (interface or api)	5897	<u>L18</u>
<u>L17</u>	L12 and L16	2	<u>L17</u>
<u>L16</u>	communicat\$3 near between with (disconnect\$3 or off\$1line)	2821	<u>L16</u>
<u>L15</u>	(activex or com) and L14	58	<u>L15</u>
<u>L14</u>	register\$6 near pointer with table	577	<u>L14</u>
<u>L13</u>	cookie and L12	58	<u>L13</u>
<u>L12</u>	((interface or api) adj table)	1465	<u>L12</u>
<u>L11</u>	L8 and L10	8	<u>L11</u>
<u>L10</u>	((interface or api) near table)	2360	<u>L10</u>
<u>L9</u>	project near host\$3 and L8	2	<u>L9</u>
<u>L8</u>	((disconnect\$3 or off\$1line) near (application or program or module))	3260	<u>L8</u>
<u>L7</u>	(activex or com) and L6	36	<u>L7</u>
<u>L6</u>	register\$6 near (interface or api) with (cookie or table)	288	<u>L6</u>
<u>L5</u>	cookie near table	48	<u>L5</u>
<u>L4</u>	(generat\$3 or creat\$3 or instantiat\$3) near (bridge near (object or agent or module))	28	<u>L4</u>
<u>L3</u>	L1 and L2	33	<u>L3</u>
<u>L2</u>	activex near control or com near (object or component)	11290	<u>L2</u>
<u>L1</u>	(disconnected or offline) near application	529	<u>L1</u>

END OF SEARCH HISTORY